

Product Data Sheet

Pan Acetylated-Lysine Antibody

(This product has been discontinued.)

Tested Species Reactivity

Many (Many)

Tested Applications	Dilution *
Western Blot (WB)	1:1000
Immunofluorescence (IF)	1:200
Immunohistochemistry (Paraffin) (IHC (P))	1:800
Immunoprecipitation (IP)	1:100
ChIP assay (ChIP)	1:50
peptide-ELISA (pep-ELISA)	1:1000

* Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own experiment using appropriate negative and positive controls.

Details

Catalog Number:	PA5-16190
Size:	100 ul
Class:	Polyclonal
Type:	Antibody
Clone:	
Host / Isotype:	Rabbit /
Immunogen:	Synthetic acetylated lysinecontaining peptide (KLH-coupled).

Form Information

Form:	Liquid
Purification:	Affinity chromatography
Storage Buffer:	0.01M HEPES, pH 7.5, with 0.15M NaCl, 100µg/ml BSA, 50% glycerol
Preservative:	no preservative
Storage Conditions:	-20° C, Avoid Freeze/Thaw Cycles

Product Specific Information

Anti-Pan Acetylated-Lysine Polyclonal Antibody PA5-16190 has been tested and validated in use for Western Blot, Immunoprecipitation, Immunohistochemistry (Paraffin), Immunofluorescence, ChIP, peptide-ELISA.

PA5-16190 is expected to react with many species.

General Information

Acetylation of lysine, like phosphorylation of serine, threonine or tyrosine, is an important reversible modification controlling protein activity. The conserved amino-terminal domains of the four core histones (H2A, H2B, H3 and H4) contain lysines that are acetylated by histone acetyltransferases (HATs) and deacetylated by histone deacetylases (HDACs). Signaling resulting in acetylation/deacetylation of histones, transcription factors and other proteins affects a diverse array of cellular processes including chromatin structure and gene activity, cell growth, differentiation and apoptosis. The regulation of protein acetylation status is impaired in the pathologies of cancer and polyglutamine diseases, and HDACs have become promising targets for anti-cancer drugs currently in development.

This product is for In Vitro experimental use only. Not for resale without express authorization.

Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Product documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GRANTED, INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON-INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCT(S), AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to humans or animals.

Product Data Sheet

Pan Acetylated-Lysine Antibody

(This product has been discontinued.)

Tested Species Reactivity

Many (Many)

Tested Applications	Dilution *
Western Blot (WB)	1:1000
Immunofluorescence (IF)	1:200
Immunohistochemistry (Paraffin) (IHC (P))	1:800
Immunoprecipitation (IP)	1:100
ChIP assay (ChIP)	1:50
peptide-ELISA (pep-ELISA)	1:1000

* Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own experiment using appropriate negative and positive controls.

Details

Catalog Number:	PA5-16190
Size:	100 ul
Class:	Polyclonal
Type:	Antibody
Clone:	
Host / Isotype:	Rabbit /
Immunogen:	Synthetic acetylated lysinecontaining peptide (KLH-coupled).

Form Information

Form:	Liquid
Purification:	Affinity chromatography
Storage Buffer:	0.01M HEPES, pH 7.5, with 0.15M NaCl, 100µg/ml BSA, 50% glycerol
Preservative:	no preservative
Storage Conditions:	-20° C, Avoid Freeze/Thaw Cycles

Product Specific Information

Anti-Pan Acetylated-Lysine Polyclonal Antibody PA5-16190 has been tested and validated in use for Western Blot, Immunoprecipitation, Immunohistochemistry (Paraffin), Immunofluorescence, ChIP, peptide-ELISA.

PA5-16190 is expected to react with many species.

General Information

Acetylation of lysine, like phosphorylation of serine, threonine or tyrosine, is an important reversible modification controlling protein activity. The conserved amino-terminal domains of the four core histones (H2A, H2B, H3 and H4) contain lysines that are acetylated by histone acetyltransferases (HATs) and deacetylated by histone deacetylases (HDACs). Signaling resulting in acetylation/deacetylation of histones, transcription factors and other proteins affects a diverse array of cellular processes including chromatin structure and gene activity, cell growth, differentiation and apoptosis. The regulation of protein acetylation status is impaired in the pathologies of cancer and polyglutamine diseases, and HDACs have become promising targets for anti-cancer drugs currently in development.

This product is for In Vitro experimental use only. Not for resale without express authorization.

Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Product documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GRANTED, INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON-INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCT(S), AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to humans or animals.